

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	3811	(creat\$3 or mak\$3) ADJ2 (encrypt\$4)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/05 13:46
L3	2690	(second\$3 or auxiliary or multiple) ADJ2 (stb or stc or hct or stt or (settop or set- top) or ((cable or tv or television or subscrib\$3)) near4 (box or terminal or decod\$3 or convert\$3))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/05 13:47
L4	2690	L3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/05 13:47
L6	1034	(creat\$3 or mak\$3) ADJ4 (encrypt\$4 ADJ key\$2)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/05 13:51
L7	2	l6 and l4	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/05 13:52
L9	4179	(creat\$3 or mak\$3 or generat \$3) ADJ4 (encrypt\$4 ADJ key \$2)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/05 13:54
L10	35	l9 and l3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/05 13:55
S1	3	"6745393"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/19 11:27
S2	0	"10805797"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/19 11:41
S3	1	"10/805797"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/19 11:41
S4	829	request near3 encrypt\$3 near2 data	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/19 15:41
S5	15219	725/1-153.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/19 15:42
S6	7	S4 and S5	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/19 15:42
S8	956	encrypt\$3 near2 data near3 distribut\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 15:49

S9	910	request near3 encrypt\$3 near2 data	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 15:50
S10	16828	725/1-153.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 15:50
S11	7	S9 and S10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/19 15:50
S12	1	10/806767	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/20 13:29
S13	160	725/48-49.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/20 15:08
S14	25244012	@ad<="20031117"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/20 15:11
S15	131	S13 and S14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/20 15:11
S16	62	epg and S15	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/20 15:13
S17	1	10/850107	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/08 16:00
S18	1	"7117534"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/08 16:17
S19	16	"6405369"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/08 16:18
S20	162	725/48-49.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/15 09:50

S21	787	encrypt\$3 near2 data near3 distribut\$4	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/15 09:51
S22	729	"conditional access" NEAR3 data	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/15 09:55
S23	7	S20 and S22	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/15 09:55
S24	15531	725/1-153.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/15 09:56
S25	252	S24 and S22	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/15 09:56
S26	311	transfer NEAR encryption	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/15 11:50
S27	729	"conditional access" NEAR3 data	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/15 11:50
S28	15531	725/1-153.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/15 11:50
S29	252	S28 and S27	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/15 11:50
S30	1	S26 and S29	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/15 11:50
S31	9	S26 and S28	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/15 11:53
S36	6737	(first or main or primary) NEAR3 (stb or stc or hct or (settop or set-top) or ((cable or tv or television or subscrib \$3)) near4 (box or terminal or decod\$3 or convert\$3))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/17 11:06
S38	2671	(secure or encrypt\$3 or (non or "not") adj tamper\$ or tamper adj (proof or resistan \$2) or sealed or cipher or cypher or lock\$3 or restricted or controlled or protect\$2 or vault or encod\$3 or enc\$pher \$3 or safe or lockbox\$2 or lock adj box\$2 or locker or impregnable or inviolable) NEAR (((data or knowledge or information or presentation) adj (unit or base or bank or min\$3 or set or warehous\$3 or dictionary or dictionaries or mart or	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/17 11:26

		medium or media or structure or framework or plan or plans)) or database or file or memory or memories or record or access or oracle or sybase or sql adj server or sqlserver or db2 or dbms or rdb or datamin\$3 or datawarehous\$3 or repository or reserve or table or array or dataset or vldb or ldb or databank or oodb or db or hdbms or hfs or hdb or cache or disc or disk or list or manifest or dwh or ods or olap or molap or rolap or library or libraries or honeypot or honey adj pot or cluster or whitelist or blacklist or spreadsheet or spread adj sheet or matrix\$2 or matrices or matrixes or chart OR datatable or datafile or knowledgebase or mis or (organi\$ed adj collection or related or interrelated) adj2 (files or information or data) or rdbms or information near management or sims or masterfile or master adj file or tabular\$ or (multifactoral or multi adj factorial) adj analysis or back adj end or backend) NEAR (offload\$3 or transfer\$5 or roll\$3 adj over or rollover or forward\$3 or redirect\$3 or dispatch\$3 or direct\$3 or divert\$3 or shift \$3 or reassign\$4 or switch \$3)				
S39	12	S36 and S38	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/17 11:30
S40	465	725/31.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/22 08:37
S41	6742	(first or main or primary) NEAR3 (stb or stc or hct or (settop or set-top) or ((cable or tv or television or subscrib \$3)) near4 (box or terminal or decod\$3 or convert\$3))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/22 08:37
S42	39	S40 and S41	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/22 08:37

S43	1374	request near3 encrypt\$3 near2 key	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/22 09:43
S44	15866	"home network"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/22 09:44
S45	44	S43 and S44	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/22 09:44
S47	0	(10/512719).APP.	USPAT; USOCR	OR	ON	2008/01/22 11:57
S48	0	("2005/0228897").URPN.	USPAT	OR	ON	2008/01/22 11:57
S49	1	"7269854"	USPAT	OR	ON	2008/01/22 12:11
S50	397	cable NEAR3 television near3 ("one-way" or "two-way")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/23 09:43
S51	1374	request near3 encrypt\$3 near2 key	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 09:44
S52	7	S51 and S50	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/23 09:44
S53	1381	cable NEAR3 television SAME ("one-way" or "two-way")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/23 09:48
S54	9	S53 and S51	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/23 09:49
S55	44909	encrypt\$3 near2 key	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 09:50
S56	115	S55 and S53	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 09:50
S57	17	S55 and S53 and "home network"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 09:51

S58	44980	encrypt\$3 near2 key\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 09:55
S61	1845	cable NEAR3 television SAME ("one-way" or "two-way" or "bi-directional")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/23 10:04
S62	151	S58 and S61	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/23 10:05
S63	10	S51 and S61	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/23 10:05
S64	126	request and S62	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/23 10:09
S65	8542	request SAME encrypt\$3 near2 key	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 10:09
S67	37	S65 and S61	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 10:11
S68	91	"home network" and "sharing content"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/23 10:41
S69	1	S68 and S61	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/23 10:45
S71	7300	(share or sharing or (shared or communal\$2) adj (use or ownership) or fleet or cooperative or co adj operative or coop or co adj op or rent\$2 or hire\$2 or both or (additional or two or S51 or second or 2nd or another or other) adj (person or people or customer) or mutual\$2 or reciprocal\$2 or bilateral\$2 or split or splitting or joint\$2 or common) near2 in near3 (content or data or information)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/23 10:50
S72	14	S61 and S71	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/23 10:51
S73	3362	cable same (television or tv) SAME ("one-way" or "two- way" or "bi-directional")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/23 12:16

S74	36	S71 and S73	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/23 12:17
S75	2	10/325898	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/23 12:19
S76	6742	(first or main or primary) NEAR3 (stb or stc or hct or (settop or set-top) or ((cable or tv or television or subscrib \$3)) near4 (box or terminal or decod\$3 or convert\$3))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/23 12:23
S77	247	S73 and S76	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/23 12:23
S79	87	S77 and "one-way"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/23 12:25
S81	1	60/546858	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 12:37
S83	7543	(share or sharing or (shared or communal\$2) adj (use or ownership) or fleet or cooperative or co adj operative or coop or co adj op or rent\$2 or hire\$2 or both or (additional or two or \$51 or second or 2nd or another or other) adj (person or people or customer) or mutual\$2 or reciprocal\$2 or bilateral\$2 or split or splitting or joint\$2 or common) near2 in near3 (content or data or information)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 12:42
S84	3748	cable same (television or tv) SAME ("one-way" or "two- way" or "bi-directional")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 12:44
S87	1374	request near3 encrypt\$3 near2 key	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 16:11

S88	7543	(share or sharing or (shared or communal\$2) adj (use or ownership) or fleet or cooperative or co adj operative or coop or co adj op or rent\$2 or hire\$2 or both or (additional or two or S87 or second or 2nd or another or other) adj (person or people or customer) or mutual\$2 or reciprocal\$2 or bilateral\$2 or split or splitting or joint\$2 or common) near2 in near3 (content or data or information)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 16:11
S89	3748	cable same (television or tv) SAME ("one-way" or "two-way" or "bi-directional")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 16:11
S90	36	S88 and S89	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 16:11
S91	14	(cable same (television or tv) SAME ("one-way" or "two-way" or "bi-directional")) same ((first or main or primary) NEAR3 (stb or stc or hct or (settop or set-top) or ((cable or tv or television or subscrib\$3)) near4 (box or terminal or decod\$3 or convert\$3)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 16:18
S92	54539	endo.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 16:21
S93	46	endo-hidehiro.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 16:22
S94	6756	(first or main or primary) NEAR3 (stb or stc or hct or (settop or set-top) or ((cable or tv or television or subscrib\$3)) near4 (box or terminal or decod\$3 or convert\$3))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/29 09:43

S95	318208	(((data or knowledge or information or presentation) adj (unit or base or bank or min\$3 or set or warehous\$3 or dictionary or dictionaries or mart or medium or media or structure or framework or plan or plans)) or database or file or memory or memories or record or access or oracle or sybase or sql adj server or sqlserver or db2 or dbms or rdb or datamin\$3 or datawarehous\$3 or repository or reserve or table or array or dataset or vldb or ldb or databank or oodb or db or hdbms or hfs or hdb or cache or disc or disk or list or manifest or dwh or ods or olap or molap or rolap or library or libraries or honeypot or honey adj pot or cluster or whitelist or blacklist or spreadsheet or spread adj sheet or matrix\$2 or matrices or matrixes or chart OR datatable or datafile or knowledgebase or mis or (organi\$ed adj collection or related or interrelated) adj2 (files or information or data) or rdbms or information near management or sims or masterfile or master adj file or tabular\$ or (multifactoral or multi adj factorial) adj analysis or back adj end or backend) NEAR (offload\$3 or transfer\$5 or roll\$3 adj over or rollover or forward\$3 or redirect\$3 or dispatch\$3 or direct\$3 or divert\$3 or shift \$3 or reassign\$4 or switch \$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/29 10:26
S96	1092	S94 and S95	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/29 10:28
S97	3829120	(secure or encrypt\$3 or (non or "not") adj tamper\$ or tamper adj (proof or resistan \$2) or sealed or cipher or cypher or lock\$3 or restricted or controlled or protect\$2 or vault or encod\$3 or enc\$spher \$3 or safe or lockbox\$2 or lock adj box\$2 or locker or impregnable or inviolable)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/29 10:30

S99	1092	S95 and S96	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/29 10:38
S100	250038	S95 and S97	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/29 10:38
S101	941	S94 and S100	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/29 10:40
S103	54	S101 and "home network"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/29 10:41
S104	508561	"one-way" or "1-way" or "one way" or "1 way" or "two-way" or "2-way" or "two way" or "2 way" or interactive	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/29 11:27
S105	34	S103 and S104	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/29 11:28
S107	20644	"cable television"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/30 14:38
S108	6756	(first or main or primary) NEAR3 (stb or stc or hct or (settop or set-top) or ((cable or tv or television or subscrib \$3)) near4 (box or terminal or decod\$3 or convert\$3))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/30 14:40
S109	318208	(((data or knowledge or information or presentation) adj (unit or base or bank or min\$3 or set or warehous\$3 or dictionary or dictionaries or mart or medium or media or structure or framework or plan or plans)) or database or file or memory or memories or record or access or oracle or sybase or sql adj server or sqlserver or db2 or dbms or rdb or datamin\$3 or datawarehous\$3 or repository or reserve or table or array or dataset or vldb or ldb or databank or oodb or db or hdbms or hfs or hdb or cache or disc or disk or list or manifest or dwh or ods or olap or molap or rolap or library or libraries or honeypot or honey adj pot or cluster or whitelist or blacklist or spreadsheet or spread adj sheet or matrix\$2 or matrices or matrixes or chart OR datatable or datafile or knowledgebase or mis or	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/30 14:40

		(organize adj collection or related or interrelated) adj2 (files or information or data) or rdbms or information near management or sims or masterfile or master adj file or tabular\$ or (multifactorial or multi adj factorial) adj analysis or back adj end or backend) NEAR (offload\$3 or transfer\$5 or roll\$3 adj over or rollover or forward\$3 or redirect\$3 or dispatch\$3 or direct\$3 or divert\$3 or shift \$3 or reassign\$4 or switch \$3)				
S110	3829120	(secure or encrypt\$3 or (non or "not") adj tamper\$ or tamper adj (proof or resistanc \$2) or sealed or cipher or cypher or lock\$3 or restricted or controlled or protect\$2 or vault or encod\$3 or enc\$pher \$3 or safe or lockbox\$2 or lock adj box\$2 or locker or impregnable or inviolable)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/30 14:40
S111	250038	S109 and S110	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/30 14:40
S112	941	S108 and S111	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/30 14:40
S113	54	S112 and "home network"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/30 14:40
S114	24	S113 and S107	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/30 14:40
S115	892	S107 and S108	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/30 14:49
S120	259	S115 and S109	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/30 14:53
S121	20644	"cable television"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/30 16:13
S122	6756	(first or main or primary) NEAR3 (stb or stc or hct or (settop or set-top) or ((cable or tv or television or subscrib \$3)) near4 (box or terminal or decod\$3 or convert\$3))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/30 16:13
S123	892	S121 and S122	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/30 16:13

S124	7	10/403485	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/01/31 13:46
S125	19	10/342670	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/04 08:53
S126	19	10/342670	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/04 09:54
S127	5588	(second\$3 or auxiliary or other) NEAR3 (stb or stc or hct or stt or (settop or set- top) or ((cable or tv or television or subscrib\$3)) near4 (box or terminal or decod\$3 or convert\$3))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/04 10:11
S128	318702	(((data or knowledge or information or presentation) adj (unit or base or bank or min\$3 or set or warehous\$3 or dictionary or dictionaries or mart or medium or media or structure or framework or plan or plans)) or database or file or memory or memories or record or access or oracle or sybase or sql adj server or sqlserver or db2 or dbms or rdb or datamin\$3 or datawarehous\$3 or repository or reserve or table or array or dataset or vldb or ldb or databank or oodb or db or hdbms or hfs or hdb or cache or disc or disk or list or manifest or dwh or ods or olap or molap or rolap or library or libraries or honeypot or honey adj pot or cluster or whitelist or blacklist or spreadsheet or spread adj sheet or matrix\$2 or matrices or matrixes or chart OR datatable or datafile or knowledgebase or mis or (organi\$ed adj collection or related or interrelated) adj2 (files or information or data) or rdbms or information near management or sims or masterfile or master adj file or tabular\$ or (multifactoral or multi adj factorial) adj analysis or back adj end or backend) NEAR (offload\$3 or transfer\$5 or roll\$3 adj over or rollover or forward\$3 or redirect\$3 or dispatch\$3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/04 10:12

		or direct\$3 or divert\$3 or shift \$3 or reassign\$4 or switch \$3)				
S129	3833447	(secure or encrypt\$3 or (non or "not") adj tamper\$ or tamper adj (proof or resistan \$2) or sealed or cipher or cypher or lock\$3 or restricted or controlled or protect\$2 or vault or encod\$3 or enc\$pher \$3 or safe or lockbox\$2 or lock adj box\$2 or locker or impregnable or inviolable)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/04 10:12
S130	250439	S128 and S129	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/04 10:12
S131	763	S130 and S127	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/04 10:12
S132	48	S131 and "home network"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/04 10:16
S133	2198	(second\$3 or auxiliary or other) ADJ2 (stb or stc or hct or stt or (settop or set-top) or ((cable or tv or television or subscrib\$3)) near4 (box or terminal or decod\$3 or convert\$3))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/04 10:24
S134	281	S130 and S133	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/04 10:25
S135	18	S134 and "home network"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/04 10:25
S136	2127	(second\$3 or auxiliary) ADJ2 (stb or stc or hct or stt or (settop or set-top) or ((cable or tv or television or subscrib \$3)) near4 (box or terminal or decod\$3 or convert\$3))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/04 10:36
S137	266	S130 and S136	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/04 10:36
S138	8	S137 and "home network"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/04 10:37
S139	2688	(second\$3 or auxiliary or multiple) ADJ2 (stb or stc or hct or stt or (settop or set- top) or ((cable or tv or television or subscrib\$3)) near4 (box or terminal or decod\$3 or convert\$3))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/04 10:38

S140	436	S139 and S130	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/04 10:39
S141	19	S140 and "home network"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/04 10:39
S144	1	10/512719	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/04 11:21
S146	1	"10/807469"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/04 13:56
S147	1	"10/807469"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/04 13:57
S148	1	10/805728	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/04 14:09
S149	318983	(((data or knowledge or information or presentation) adj (unit or base or bank or min\$3 or set or warehous\$3 or dictionary or dictionaries or mart or medium or media or structure or framework or plan or plans)) or database or file or memory or memories or record or access or oracle or sybase or sql adj server or sqlserver or db2 or dbms or rdb or datamin\$3 or datawarehous\$3 or repository or reserve or table or array or dataset or vldb or ldb or databank or oodb or db or hdbms or hfs or hdb or cache or disc or disk or list or manifest or dwh or ods or olap or molap or rolap or library or libraries or honeypot or honey adj pot or cluster or whitelist or blacklist or spreadsheet or spread adj sheet or matrix\$2 or matrices or matrixes or chart OR datatable or datafile or knowledgebase or mis or (organi\$ed adj collection or related or interrelated) adj2 (files or information or data) or rdbms or information near management or sims or masterfile or master adj file or tabular\$ or (multifactoral or multi adj factoral) adj analysis or back adj end or backend) NEAR (offload\$3 or transfer\$5 or roll\$3 adj	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/05 08:32

		over or rollover or forward\$3 or redirect\$3 or dispatch\$3 or direct\$3 or divert\$3 or shift \$3 or reassign\$4 or switch \$3)				
S150	3835829	(secure or encrypt\$3 or (non or "not") adj tamper\$ or tamper adj (proof or resistan \$2) or sealed or cipher or cypher or lock\$3 or restricted or controlled or protect\$2 or vault or encod\$3 or enc\$pher \$3 or safe or lockbox\$2 or lock adj box\$2 or locker or impregnable or inviolable)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/05 08:32
S151	250670	S149 and S150	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/05 08:32
S152	2690	(second\$3 or auxiliary or multiple) ADJ2 (stb or stc or hct or stt or (settop or set- top) or ((cable or tv or television or subscrib\$3)) near4 (box or terminal or decod\$3 or convert\$3))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/05 08:32
S153	436	S152 and S151	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/05 08:32
S154	191	S153 and (payment or fee or charge)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/05 08:36
S155	15625	(payment or fee or charge). ti.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/05 08:52
S156	0	S153 and S155	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/05 08:52
S157	5	S152 and S155	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/05 08:52
S158	43561	(payment\$2 or pay\$3 or fee \$2 or charge\$2).ti.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/05 08:54
S159	2	S158 and S153	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/05 08:54
S160	21	S158 and S152	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/05 08:56
S161	19	10/342670	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/05 10:05
S164	7	10/403485	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/05 10:10

S165	1	10/434032	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/05 10:11
S166	0	(condition SAME property) and S165	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/05 10:50
S167	1	(condition\$2 SAME property) and S165	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/05 10:50

2/ 5/ 2008 3:03:53 PM

C:\ Documents and Settings\jtaylor3\ My Documents\ EAST\ Workspaces\ 7th_Application2.wsp